Recommended Qualification Structure for Demolition (Construction) Level 3 proposed 141019

This structure has been recommended by employers and stakeholders from the above occupational area for organisations to form the basis of academic capability and competence outcomes. Qualifications with a competence outcome at the above level must have units derived from the following National Occupational Standards (NOS) and consist of the mandatory/optional groups as stated for the individual option route.

MANDATORY (all option routes)

VR209 v2	Confirm work activities and resources for the work
VR210 v3	Develop and maintain good working relationships

- VR211 v2 Confirm the occupational method of work
- VR641 v2 Conform to general workplace health, safety and welfare
- VR763? Install, construct, maintain, dismantle and remove temporary works
- VR212 v2 Implement and maintain health, safety and welfare
- VR213 v2 Co-ordinate and organise work operations

PLUS ONE OF THE FOLLOWING OPTIONAL ROUTES

Demolition (Top Man) Operative (9)

Mandatory

VR154 v2 Remove and segregate components and materials in demolition

Plus optional (three from the following)

- VR155 v2 Dismantle and/or demolish masonry and/or concrete structures
- VR156 v2 Dismantle and/or demolish roofs and cladding
- VR157 v2 Dismantle and/or demolish timber-framed structures
- VR158 v2 Dismantle and/or demolish steel-framed structures

Demolition Chargehand Option Route (Total 40 11)

Mandatory

- VR641 v2 Conform to general workplace health, safety and welfare
- VR642 v1 Conform to productive work practices
- VR643 v1 Move, handle or store resources
- VR212 v2 Implement and maintain health, safety and welfare
- VR213 v2 Co-ordinate and organise work operations
- VR215 v3 Monitor progress against work schedules
- VR154 v2 Remove and segregate components prior to demolition
- VR760 v1 Control, direct and guide the operation of plant or machinery

Plus optional (one from the following)

- VR155 v2 Demolish/dismantle masonry and concrete structures
- VR156 v2 Demolish/dismantle roofs and cladding
- VR157 v2 Dismantle and/or demolish timber-framed structures
- VR158 v2 Dismantle and/or demolish steel-framed structures

Additional for Demolition Chargehand option (not compulsory)

- VR400 v2 Operate powered units, tools or pedestrian plant, machinery or equipment
- VR402 v2 Slinging and signalling the movement of suspended loads
- VR404 v2 Erect and dismantle plant (cranes and rigs)
- VR760 v1 Control, direct and guide the operation of plant or machinery



Demolition Supervisor Option Route (Total 10)

Mandatory

VD044 0	A 11 (
				machinery or	
V 1 2 1 7 V 2	7 modate and	THO III THE	abe or blant.	THACHING YOU	COUNTION

VR215 v2 Monitor progress against work schedules

VR217 v2 Implement procedures to support team's performance

VR722 v1 Plan demolition activities

VR723 v1 Supervise demolition activities

Additional for Demolition Supervisor option (not compulsory)

VR718 v2 Hand over property



Unit endorsements for Demolition Level 3

Where industry requests; qualifications can be endorsed to show an option route and the type of resources and/or activities that relate to the unit. Listed below are the endorsements that can apply for units derived from the following NOS.

NOS	Endorsement
VR156	One of the following:
	Asbestos cement products
	Composite panels
VR400	One of the following:
	Generators
	Pumps
	Pedestrian operated plant or machines
	Mixers
	Compressors
1/5/00	Self-powered tools
VR402	Slinger Signaller 'Occupation specific' only (own area of work i.e. Demolition
1/5/0/	Chargehand)
VR404	One of the following:
	Demolition rig
	Mobile crane
VR760	Operations guide banksman
VR763	Four of the following:
	Protective screens, hoardings and covers
	Access and egress routes
	Supports
	Supporting structures
	Removal equipment
	Diverting equipment
	Site facilities
	Stabilisation

Note: Where industry requests an Awarding Organisation to further endorse a unit, the Awarding Organisation must first seek approval from the Standards Setting Body to ensure the endorsement is appropriate to the unit.

